

The logo features a stylized 'A' in blue, an ampersand '&' in white, and a 'V' in black, all set against a white background. Below this graphic, the word 'COMPONENTS' is written in a bold, black, sans-serif font.

COMPONENTS

BELT

CATALOG

2012

(TEL) 516-791-1121 (EMAIL) sales@avcomponents.net

(FAX) 516-791-1171 (WEB) www.avcomponents.net



TABLE OF CONTENTS

FBS SERIES .125-.15INCH WIDTH	PAGE 01
FBM SERIES .180-.235 INCH WIDTH	PAGE 01
TURNTABLE BELTS	PAGE 01
SBR SQUARE BLET SERIES .028 INCH THICKNESS	PAGE 02
SBO SQUARE BLET SERIES .039-.045 INCH THICKNESS	PAGE 02
SBS SERIES .046-.050 INCH THICKNESS	PAGE 02
SBT SERIES .051-.057 INCH THICKNESS	PAGE 03
SBM SERIES .062-.07 INCH THICKNESS	PAGE 03
SBL SERIES .075-.079 INCH THICKNESS	PAGE 04
SBX SERIES .086-.095 INCH THICKNESS	PAGE 04
O RINGS RBA SERIES .07 CROSS SECTION	PAGE 05
O RINGS RBB SERIES .103 CROSS SECTION	PAGE 05
O RINGS RBC SERIES .139 CROSS SECTION	PAGE 06
O RINGS RBD SERIES .210 CROSS SECTION	PAGE 06

FLAT BELTS

PART#	THICKNESS	WIDTH	INSIDE CIRCUM FERENCE	PART#	THICKNESS	WIDTH	INSIDE CIRCUM FERENCE
FBS2.3	0.025 IN.	0.125 IN.	2.3 IN.	FBS8.4	0.025 IN.	0.125 IN.	8.4 IN.
FBS2.9	0.025 IN.	0.125 IN.	2.9 IN.	FBS8.6	0.025 IN.	0.125 IN.	8.6 IN.
FBS3.5	0.025 IN.	0.125 IN.	3.5 IN.	FBS9.0	0.025 IN.	0.125 IN.	9.0 IN.
FBS4.0	0.025 IN.	0.125 IN.	4.0 IN.	FBS9.2	0.025 IN.	0.125 IN.	9.2 IN.
FBS4.3	0.025 IN.	0.125 IN.	4.3 IN.	FBS9.4	0.025 IN.	0.125 IN.	9.4 IN.
FBS4.7	0.025 IN.	0.125 IN.	4.7 IN.	FBS9.6	0.025 IN.	0.125 IN.	9.6 IN.
FBS5.1	0.025 IN.	0.125 IN.	5.1 IN.	FBS9.9	0.025 IN.	0.125 IN.	9.9 IN.
FBS5.8	0.025 IN.	0.125 IN.	5.8 IN.	FBS10.2	0.025 IN.	0.125 IN.	10.2 IN.
FBS6.1	0.025 IN.	0.125 IN.	6.1 IN.	FBS10.5	0.025 IN.	0.125 IN.	10.5 IN.
FBS6.5	0.025 IN.	0.125 IN.	6.5 IN.	FBS10.7	0.025 IN.	0.125 IN.	10.7 IN.
FBS6.7	0.025 IN.	0.125 IN.	6.7 IN.	FBS11.0	0.025 IN.	0.125 IN.	11.0 IN.
FBS7.0	0.025 IN.	0.125 IN.	7.0 IN.	FBS11.5	0.025 IN.	0.125 IN.	11.5 IN.
FBS7.5	0.025 IN.	0.125 IN.	7.5 IN.	FBS11.7	0.025 IN.	0.125 IN.	11.7 IN.
FBS7.7	0.025 IN.	0.125 IN.	7.7 IN.	FBS12.1	0.025 IN.	0.125 IN.	12.1 IN.
FBS8.0	0.025 IN.	0.125 IN.	8.0 IN.				

FBM2.0	0.025 IN.	0.185 IN.	2.0 IN.	FBM8.8	0.025 IN.	0.185 IN.	8.8 IN.
FBM2.2	0.025 IN.	0.185 IN.	2.2 IN.	FBM9.0	0.025 IN.	0.185 IN.	9.0 IN.
FBM2.5	0.025 IN.	0.185 IN.	2.5 IN.	FBM9.3	0.025 IN.	0.185 IN.	9.3 IN.
FBM2.7	0.025 IN.	0.185 IN.	2.7 IN.	FBM9.6	0.025 IN.	0.185 IN.	9.6 IN.
FBM3.0	0.025 IN.	0.185 IN.	3.0 IN.	FBM9.9	0.025 IN.	0.185 IN.	9.9 IN.
FBM3.6	0.025 IN.	0.185 IN.	3.6 IN.	FBM10.2	0.025 IN.	0.185 IN.	10.2 IN.
FBM4.3	0.025 IN.	0.185 IN.	4.3 IN.	FBM10.5	0.025 IN.	0.185 IN.	10.5 IN.
FBM5.0	0.025 IN.	0.185 IN.	5.0 IN.	FBM10.7	0.025 IN.	0.185 IN.	10.7 IN.
FBM5.7	0.025 IN.	0.185 IN.	5.7 IN.	FBM11.0	0.025 IN.	0.185 IN.	11.0 IN.
FBM6.1	0.025 IN.	0.185 IN.	6.1 IN.	FBM11.2	0.025 IN.	0.185 IN.	11.2 IN.
FBM6.7	0.025 IN.	0.185 IN.	6.7 IN.	FBM11.5	0.025 IN.	0.185 IN.	11.5 IN.
FBM7.0	0.025 IN.	0.185 IN.	7.0 IN.	FBM11.7	0.025 IN.	0.185 IN.	11.7 IN.
FBM7.5	0.025 IN.	0.185 IN.	7.5 IN.	FBM12.1	0.025 IN.	0.185 IN.	12.1 IN.
FBM7.8	0.025 IN.	0.185 IN.	7.8 IN.	FBM12.5	0.025 IN.	0.185 IN.	12.5 IN.
FBM8.0	0.025 IN.	0.185 IN.	8.0 IN.	FBM13.3	0.025 IN.	0.185 IN.	13.3 IN.
FBM8.3	0.025 IN.	0.185 IN.	8.3 IN.	FBM14.0	0.025 IN.	0.185 IN.	14.0 IN.
FBM8.6	0.025 IN.	0.185 IN.	8.6 IN.				

TURNTABLE BELTS

PART#	THICKNESS	WIDTH	INSIDE CIRCUM FERENCE	PART#	THICKNESS	WIDTH	INSIDE CIRCUM FERENCE
FBM15.2	0.025 IN.	0.235 IN.	15.2 IN.	FBM21.4	0.025 IN.	0.235 IN.	21.4 IN.
FBM20.0	0.025 IN.	0.235 IN.	20.0 IN.	FBM23.6	0.025 IN.	0.235 IN.	23.6 IN.
FBM20.7	0.025 IN.	0.235 IN.	20.7 IN.	FBM25.0	0.025 IN.	0.235 IN.	25.0 IN.

SQUARE BELTS

PART#	THICKNESS	INSIDE CIRCUMFERENCE	PART#	THICKNESS	INSIDE CIRCUMFERENCE
SBR1.8	0.025 IN.	1.8 IN.	SBR5.8	0.025 IN.	5.8 IN.
SBR3.0	0.025 IN.	3.0 IN.	SBR6.4	0.025 IN.	6.4 IN.

SBO1.55	0.039 IN.	1.55 IN.	SBO6.6	0.039 IN.	6.6 IN.
SBO1.61	0.039 IN.	1.61 IN.	SBO6.8	0.039 IN.	6.8 IN.
SBO2.2	0.039 IN.	2.2 IN.	SBO7.0	0.039 IN.	7.0 IN.
SBO2.4	0.039 IN.	2.4 IN.	SBO7.2	0.039 IN.	7.2 IN.
SBO2.5	0.039 IN.	2.5 IN.	SBO7.5	0.039 IN.	7.5 IN.
SBO2.9	0.039 IN.	2.9 IN.	SBO7.7	0.039 IN.	7.7 IN.
SBO3.2	0.039 IN.	3.2 IN.	SBO8.0	0.039 IN.	8.0 IN.
SBO3.5	0.039 IN.	3.5 IN.	SBO8.3	0.039 IN.	8.3 IN.
SBO3.7	0.039 IN.	3.7 IN.	SBO8.6	0.039 IN.	8.6 IN.
SBO4.0	0.039 IN.	4.0 IN.	SBO9.0	0.039 IN.	9.0 IN.
SBO4.2	0.039 IN.	4.2 IN.	SBO9.3	0.039 IN.	9.3 IN.
SBO4.3	0.039 IN.	4.3 IN.	SBO9.7	0.039 IN.	9.7 IN.
SBO4.4	0.039 IN.	4.4 IN.	SBO10.2	0.039 IN.	10.2 IN.
SBO4.7	0.039 IN.	4.7 IN.	SBO10.5	0.039 IN.	10.5 IN.
SBO5.1	0.039 IN.	5.1 IN.	SBO11.7	0.039 IN.	11.7 IN.
SBO5.3	0.039 IN.	5.3 IN.	SBO12.2	0.039 IN.	12.2 IN.
SBO5.6	0.039 IN.	5.6 IN.	SBO12.7	0.039 IN.	12.7 IN.
SBO5.7	0.039 IN.	5.7 IN.	SBO13.3	0.039 IN.	13.3 IN.
SBO6.0	0.039 IN.	6.0 IN.	SBO15.0	0.039 IN.	15.0 IN.

SBS1.9	0.046 IN.	1.9 IN.	SBS8.0	0.046 IN.	8.0 IN.
SBS2.1	0.046 IN.	2.1 IN.	SBS8.2	0.046 IN.	8.2 IN.
SBS2.4	0.046 IN.	2.4 IN.	SBS8.4	0.046 IN.	8.4 IN.
SBS2.6	0.046 IN.	2.6 IN.	SBS8.6	0.046 IN.	8.6 IN.
SBS2.9	0.046 IN.	2.9 IN.	SBS8.9	0.046 IN.	8.9 IN.
SBS3.0	0.046 IN.	3.0 IN.	SBS9.2	0.046 IN.	9.2 IN.
SBS3.1	0.046 IN.	3.1 IN.	SBS9.5	0.046 IN.	9.5 IN.
SBS3.2	0.046 IN.	3.2 IN.	SBS9.8	0.046 IN.	9.8 IN.
SBS3.5	0.046 IN.	3.5 IN.	SBS10.0	0.046 IN.	10.0 IN.
SBS3.7	0.046 IN.	3.7 IN.	SBS10.3	0.046 IN.	10.3 IN.
SBS4.0	0.046 IN.	4.0 IN.	SBS10.5	0.046 IN.	10.5 IN.
SBS4.3	0.046 IN.	4.3 IN.	SBS10.7	0.046 IN.	10.7 IN.
SBS4.6	0.046 IN.	4.6 IN.	SBS11.0	0.046 IN.	11.0 IN.
SBS4.9	0.046 IN.	4.9 IN.	SBS11.4	0.046 IN.	11.4 IN.
SBS5.0	0.046 IN.	5.0 IN.	SBS11.7	0.046 IN.	11.7 IN.
SBS5.2	0.046 IN.	5.2 IN.	SBS12.1	0.046 IN.	12.1 IN.
SBS5.4	0.046 IN.	5.4 IN.	SBS12.4	0.046 IN.	12.4 IN.
SBS5.7	0.046 IN.	5.7 IN.	SBS13.0	0.046 IN.	13.0 IN.
SBS6.0	0.046 IN.	6.0 IN.	SBS13.6	0.046 IN.	13.6 IN.
SBS6.2	0.046 IN.	6.2 IN.	SBS14.2	0.046 IN.	14.2 IN.
SBS6.4	0.046 IN.	6.4 IN.	SBS14.6	0.046 IN.	14.6 IN.
SBS6.7	0.046 IN.	6.7 IN.	SBS15.0	0.046 IN.	15.0 IN.
SBS6.8	0.046 IN.	6.8 IN.	SBS16.0	0.046 IN.	16.0 IN.
SBS7.0	0.046 IN.	7.0 IN.	SBS16.3	0.046 IN.	16.3 IN.
SBS7.4	0.046 IN.	7.4 IN.	SBS17.0	0.046 IN.	17.0 IN.
SBS7.7	0.046 IN.	7.7 IN.			

SQUARE BELTS

PART#	THICKNESS	INSIDE CIRCUMFERENCE	PART#	THICKNESS	INSIDE CIRCUMFERENCE
SBT1.24	0.051 IN.	1.24 IN.	SBT6.0	0.051 IN.	6.0 IN.
SBT2.3	0.051 IN.	2.3 IN.	SBT6.3	0.051 IN.	6.3 IN.
SBT2.5	0.051 IN.	2.5 IN.	SBT6.7	0.057 IN.	6.7 IN.
SBT2.8	0.051 IN.	2.8 IN.	SBT7.2	0.057 IN.	7.2 IN.
SBT3.0	0.051 IN.	3.0 IN.	SBT7.8	0.057 IN.	7.8 IN.
SBT3.1	0.051 IN.	3.1 IN.	SBT8.2	0.057 IN.	8.2 IN.
SBT3.2	0.051 IN.	3.2 IN.	SBT9.0	0.057 IN.	9.0 IN.
SBT3.6	0.051 IN.	3.6 IN.	SBT9.6	0.057 IN.	9.6 IN.
SBT4.1	0.051 IN.	4.1 IN.	SBT10.0	0.057 IN.	10.0 IN.
SBT4.3	0.051 IN.	4.3 IN.	SBT10.5	0.057 IN.	10.5 IN.
SBT4.8	0.051 IN.	4.8 IN.	SBT11.1	0.057 IN.	11.1 IN.
SBT5.4	0.051 IN.	5.4 IN.	SBT12.4	0.057 IN.	12.4 IN.
SBT5.6	0.051 IN.	5.6 IN.			

SBM1.73	0.062 IN.	1.73 IN.	SBM5.6	0.062 IN.	5.6 IN.
SBM2.1	0.062 IN.	2.1 IN.	SBM5.8	0.062 IN.	5.8 IN.
SBM2.3	0.062 IN.	2.3 IN.	SBM5.9	0.062 IN.	5.9 IN.
SBM2.4	0.062 IN.	2.4 IN.	SBM6.2	0.062 IN.	6.2 IN.
SBM2.5	0.062 IN.	2.5 IN.	SBM6.5	0.062 IN.	6.5 IN.
SBM2.7	0.062 IN.	2.7 IN.	SBM6.7	0.062 IN.	6.7 IN.
SBM2.8	0.062 IN.	2.8 IN.	SBM6.9	0.062 IN.	6.9 IN.
SBM3.0	0.062 IN.	3.0 IN.	SBM7.1	0.062 IN.	7.1 IN.
SBM3.1	0.062 IN.	3.1 IN.	SBM7.5	0.062 IN.	7.5 IN.
SBM3.2	0.062 IN.	3.2 IN.	SBM7.8	0.062 IN.	7.8 IN.
SBM3.4	0.062 IN.	3.4 IN.	SBM8.0	0.062 IN.	8.0 IN.
SBM3.5	0.062 IN.	3.5 IN.	SBM8.3	0.062 IN.	8.3 IN.
SBM3.6	0.062 IN.	3.6 IN.	SBM8.5	0.062 IN.	8.5 IN.
SBM3.7	0.062 IN.	3.7 IN.	SBM8.8	0.062 IN.	8.8 IN.
SBM3.8	0.062 IN.	3.8 IN.	SBM9.1	0.062 IN.	9.1 IN.
SBM4.0	0.062 IN.	4.0 IN.	SBM9.6	0.062 IN.	9.6 IN.
SBM4.1	0.062 IN.	4.1 IN.	SBM9.8	0.062 IN.	9.8 IN.
SBM4.2	0.062 IN.	4.2 IN.	SBM10.0	0.062 IN.	10.0 IN.
SBM4.5	0.062 IN.	4.5 IN.	SBM10.5	0.062 IN.	10.5 IN.
SBM4.6	0.062 IN.	4.6 IN.	SBM11.1	0.062 IN.	11.1 IN.
SBM4.65	0.062 IN.	4.65 IN.	SBM11.5	0.062 IN.	11.5 IN.
SBM4.8	0.062 IN.	4.8 IN.	SBM12.0	0.062 IN.	12.0 IN.
SBM5.0	0.062 IN.	5.0 IN.	SBM12.4	0.062 IN.	12.4 IN.
SBM5.2	0.062 IN.	5.2 IN.	SBM13.6	0.062 IN.	13.6 IN.
SBM5.4	0.062 IN.	5.4 IN.	SBM14.1	0.062 IN.	14.1 IN.

SQUARE BELTS

SBL1.0	0.075 IN.	1.0 IN.	SBL6.0	0.075 IN.	6.0 IN.
SBL1.1	0.075 IN.	1.1 IN.	SBL6.2	0.075 IN.	6.2 IN.
SBL1.24	0.075 IN.	1.24 IN.	SBL6.5	0.075 IN.	6.5 IN.
SBL1.6	0.075 IN.	1.6 IN.	SBL6.7	0.075 IN.	6.7 IN.
SBL2.15	0.075 IN.	2.15 IN.	SBL7.0	0.075 IN.	7.0 IN.
SBL2.3	0.075 IN.	2.3 IN.	SBL7.5	0.075 IN.	7.5 IN.
SBL2.4	0.075 IN.	2.4 IN.	SBL7.6	0.075 IN.	7.6 IN.
SBL2.65	0.075 IN.	2.65 IN.	SBL7.8	0.075 IN.	7.8 IN.
SBL2.9	0.075 IN.	2.9 IN.	SBL8.2	0.075 IN.	8.2 IN.
SBL3.0	0.075 IN.	3.0 IN.	SBL8.5	0.075 IN.	8.5 IN.
SBL3.12	0.075 IN.	3.12 IN.	SBL8.7	0.075 IN.	8.7 IN.
SBL3.4	0.075 IN.	3.4 IN.	SBL9.1	0.075 IN.	9.1 IN.
SBL3.5	0.075 IN.	3.5 IN.	SBL9.4	0.075 IN.	9.4 IN.
SBL3.6	0.075 IN.	3.6 IN.	SBL9.8	0.075 IN.	9.8 IN.
SBL3.7	0.075 IN.	3.7 IN.	SBL10.0	0.075 IN.	10.0 IN.
SBL3.8	0.075 IN.	3.8 IN.	SBL10.3	0.075 IN.	10.3 IN.
SBL4.0	0.075 IN.	4.0 IN.	SBL10.7	0.075 IN.	10.7 IN.
SBL4.2	0.075 IN.	4.2 IN.	SBL11.1	0.075 IN.	11.1 IN.
SBL4.44	0.075 IN.	4.44 IN.	SBL11.5	0.075 IN.	11.5 IN.
SBL4.6	0.075 IN.	4.6 IN.	SBL12.0	0.075 IN.	12.0 IN.
SBL4.8	0.075 IN.	4.8 IN.	SBL12.5	0.075 IN.	12.5 IN.
SBL5.1	0.075 IN.	5.1 IN.	SBL13.3	0.075 IN.	13.3 IN.
SBL5.4	0.075 IN.	5.4 IN.	SBL13.6	0.075 IN.	13.6 IN.
SBL5.7	0.075 IN.	5.7 IN.	SBL14.3	0.075 IN.	14.3 IN.

SBX2.5	0.086 IN.	2.5 IN.	SBX9.8	0.095 IN.	9.8 IN.
SBX3.7	0.086 IN.	3.7 IN.	SBX10.0	0.095 IN.	10.0 IN.
SBX4.2	0.086 IN.	4.2 IN.	SBX10.5	0.095 IN.	10.5 IN.
SBX5.7	0.086 IN.	5.7 IN.	SBX11.4	0.095 IN.	11.4 IN.
SBX6.6	0.086 IN.	6.6 IN.	SBX11.6	0.095 IN.	11.6 IN.
SBX7.0	0.086 IN.	7.0 IN.	SBX12.0	0.095 IN.	12.0 IN.
SBX8.4	0.086 IN.	8.4 IN.	SBX12.5	0.095 IN.	12.5 IN.
SBX8.7	0.086 IN.	8.7 IN.	SBX13.8	0.095 IN.	13.8 IN.
SBX9.1	0.086 IN.	9.1 IN.	SBX14.3	0.095 IN.	14.3 IN.
SBX9.5	0.086 IN.	9.5 IN.	SBX15.3	0.095 IN.	15.3 IN.

BELTS ARE SOLD IN EITHER SINGLE PACKS OR TEN PACKS ADD "X" AT END OF PART NUMBER TO SIGNIFY TEN PACK

O RINGS

PART NUMBER	CROSS SECTION	INSIDE CIRCUMFERENCE	PART NUMBER	CROSS SECTION	INSIDE CIRCUMFERENCE
RBA2.1	.07 IN	2.1 IN	RBA6.6	.07 IN	6.6 IN
RBA2.3	.07 IN	2.3 IN	RBA7.0	.07 IN	7.0 IN
RBA2.5	.07 IN	2.5 IN	RBA7.4	.07 IN	7.4 IN
RBA2.7	.07 IN	2.7 IN	RBA7.8	.07 IN	7.8 IN
RBA2.9	.07 IN	2.9 IN	RBA8.2	.07 IN	8.2 IN
RBA3.1	.07 IN	3.1 IN	RBA8.6	.07 IN	8.6 IN
RBA3.3	.07 IN	3.3 IN	RBA9.0	.07 IN	9.0 IN
RBA3.5	.07 IN	3.5 IN	RBA9.4	.07 IN	9.4 IN
RBA3.7	.07 IN	3.7 IN	RBA10.1	.07 IN	10.1 IN
RBA3.9	.07 IN	3.9 IN	RBA10.9	.07 IN	10.9 IN
RBA4.1	.07 IN	4.1 IN	RBA11.7	.07 IN	11.7 IN
RBA4.3	.07 IN	4.3 IN	RBA12.4	.07 IN	12.4 IN
RBA4.7	.07 IN	4.7 IN	RBA13.3	.07 IN	13.3 IN
RBA5.1	.07 IN	5.1 IN	RBA14.4	.07 IN	14.4 IN
RBA5.5	.07 IN	5.5 IN	RBA14.8	.07 IN	14.8 IN
RBA5.9	.07 IN	5.9 IN	RBA15.6	.07 IN	15.6 IN
RBA6.2	.07 IN	6.2 IN	RBA16.5	.07 IN	16.5 IN

RBB0.9	.103 IN	0.9 IN	RBB7.8	.103 IN	7.8 IN
RBB1.1	.103 IN	1.1 IN	RBB8.0	.103 IN	8.0 IN
RBB1.3	.103 IN	1.3 IN	RBB8.2	.103 IN	8.2 IN
RBB1.5	.103 IN	1.5 IN	RBB8.4	.103 IN	8.4 IN
RBB1.7	.103 IN	1.7 IN	RBB8.5	.103 IN	8.5 IN
RBB1.9	.103 IN	1.9 IN	RBB8.8	.103 IN	8.8 IN
RBB2.1	.103 IN	2.1 IN	RBB9.0	.103 IN	9.0 IN
RBB2.3	.103 IN	2.3 IN	RBB9.4	.103 IN	9.4 IN
RBB2.5	.103 IN	2.5 IN	RBB10.1	.103 IN	10.1 IN
RBB2.7	.103 IN	2.7 IN	RBB10.9	.103 IN	10.9 IN
RBB2.9	.103 IN	2.9 IN	RBB11.7	.103 IN	11.7 IN
RBB3.1	.103 IN	3.1 IN	RBB12.4	.103 IN	12.4 IN
RBB3.3	.103 IN	3.3 IN	RBB13.2	.103 IN	13.2 IN
RBB3.5	.103 IN	3.5 IN	RBB14.0	.103 IN	14.0 IN
RBB3.7	.103 IN	3.7 IN	RBB14.9	.103 IN	14.9 IN
RBB3.8	.103 IN	3.8 IN	RBB15.6	.103 IN	15.6 IN
RBB4.1	.103 IN	4.1 IN	RBB16.4	.103 IN	16.4 IN
RBB4.3	.103 IN	4.3 IN	RBB17.2	.103 IN	17.2 IN
RBB4.4	.103 IN	4.4 IN	RBB18.0	.103 IN	18.0 IN
RBB4.6	.103 IN	4.6 IN	RBB18.8	.103 IN	18.8 IN
RBB4.8	.103 IN	4.8 IN	RBB19.6	.103 IN	19.6 IN
RBB5.0	.103 IN	5.0 IN	RBB20.3	.103 IN	20.3 IN
RBB5.2	.103 IN	5.2 IN	RBB21.1	.103 IN	21.1 IN
RBB5.4	.103 IN	5.4 IN	RBB21.9	.103 IN	21.9 IN
RBB5.6	.103 IN	5.6 IN	RBB22.7	.103 IN	22.7 IN
RBB5.8	.103 IN	5.8 IN	RBB23.5	.103 IN	23.5 IN
RBB6.0	.103 IN	6.0 IN	RBB24.3	.103 IN	24.3 IN
RBB6.2	.103 IN	6.2 IN	RBB25.1	.103 IN	25.1 IN
RBB6.4	.103 IN	6.4 IN	RBB25.9	.103 IN	25.9 IN
RBB6.6	.103 IN	6.6 IN	RBB26.4	.103 IN	26.4 IN
RBB6.8	.103 IN	6.8 IN	RBB27.4	.103 IN	27.4 IN
RBB7.0	.103 IN	7.0 IN	RBB28.2	.103 IN	28.2 IN
RBB7.2	.103 IN	7.2 IN	RBB29.0	.103 IN	29.0 IN
RBB7.4	.103 IN	7.4 IN	RBB29.8	.103 IN	29.8 IN
RBB7.6	.103 IN	7.6 IN	RBB30.5	.103 IN	30.5 IN

PART NUMBER	CROSS SECTION	INSIDE CIRCUMFERENCE	PART NUMBER	CROSS SECTION	INSIDE CIRCUMFERENCE
RBC2.3	.139 IN	2.3 IN	RBC11.7	.139 IN	11.7 IN
RBC2.5	.139 IN	2.5 IN	RBC12.1	.139 IN	12.1 IN
RBC2.7	.139 IN	2.7 IN	RBC12.4	.139 IN	12.4 IN
RBC2.9	.139 IN	2.9 IN	RBC12.8	.139 IN	12.8 IN
RBC3.1	.139 IN	3.1 IN	RBC13.3	.139 IN	13.3 IN
RBC3.3	.139 IN	3.3 IN	RBC13.6	.139 IN	13.6 IN
RBC3.5	.139 IN	3.5 IN	RBC14.0	.139 IN	14.0 IN
RBC3.7	.139 IN	3.7 IN	RBC14.4	.139 IN	14.4 IN
RBC3.8	.139 IN	3.8 IN	RBC14.8	.139 IN	14.8 IN
RBC4.0	.139 IN	4.0 IN	RBC15.3	.139 IN	15.3 IN
RBC4.2	.139 IN	4.2 IN	RBC15.6	.139 IN	15.6 IN
RBC4.4	.139 IN	4.4 IN	RBC16.0	.139 IN	16.0 IN
RBC4.6	.139 IN	4.6 IN	RBC16.4	.139 IN	16.4 IN
RBC5.0	.139 IN	5.0 IN	RBC16.8	.139 IN	16.8 IN
RBC5.4	.139 IN	5.4 IN	RBC17.2	.139 IN	17.2 IN
RBC6.2	.139 IN	6.2 IN	RBC17.5	.139 IN	17.5 IN
RBC6.6	.139 IN	6.6 IN	RBC18.0	.139 IN	18.0 IN
RBC7.0	.139 IN	7.0 IN	RBC18.5	.139 IN	18.5 IN
RBC7.4	.139 IN	7.4 IN	RBC18.8	.139 IN	18.8 IN
RBC7.8	.139 IN	7.8 IN	RBC19.6	.139 IN	19.6 IN
RBC8.2	.139 IN	8.2 IN	RBC20.3	.139 IN	20.3 IN
RBC8.5	.139 IN	8.5 IN	RBC21.1	.139 IN	21.1 IN
RBC9.0	.139 IN	9.0 IN	RBC21.9	.139 IN	21.9 IN
RBC9.4	.139 IN	9.4 IN	RBC22.8	.139 IN	22.8 IN
RBC9.8	.139 IN	9.8 IN	RBC23.5	.139 IN	23.5 IN
RBC10.1	.139 IN	10.1 IN	RBC24.2	.139 IN	24.2 IN
RBC10.5	.139 IN	10.5 IN	RBC25.0	.139 IN	25.0 IN
RBC10.9	.139 IN	10.9 IN	RBC25.8	.139 IN	25.8 IN
RBC11.2	.139 IN	11.2 IN	RBC26.6	.139 IN	26.6 IN

RBD1.6	.210 IN	1.6 IN	RBD11.0	.210 IN	11.0 IN
RBD1.9	.210 IN	1.9 IN	RBD11.2	.210 IN	11.2 IN
RBD2.1	.210 IN	2.1 IN	RBD12.1	.210 IN	12.1 IN
RBD2.5	.210 IN	2.5 IN	RBD12.9	.210 IN	12.9 IN
RBD2.7	.210 IN	2.7 IN	RBD13.3	.210 IN	13.3 IN
RBD3.1	.210 IN	3.1 IN	RBD13.7	.210 IN	13.7 IN
RBD3.5	.210 IN	3.5 IN	RBD14.4	.210 IN	14.4 IN
RBD3.8	.210 IN	3.8 IN	RBD14.9	.210 IN	14.9 IN
RBD4.2	.210 IN	4.2 IN	RBD15.2	.210 IN	15.2 IN
RBD4.7	.210 IN	4.7 IN	RBD15.6	.210 IN	15.6 IN
RBD5.0	.210 IN	5.0 IN	RBD16.0	.210 IN	16.0 IN
RBD5.4	.210 IN	5.4 IN	RBD16.4	.210 IN	16.4 IN
RBD5.8	.210 IN	5.8 IN	RBD17.2	.210 IN	17.2 IN
RBD6.2	.210 IN	6.2 IN	RBD17.6	.210 IN	17.6 IN
RBD6.7	.210 IN	6.7 IN	RBD18.0	.210 IN	18.0 IN
RBD7.1	.210 IN	7.1 IN	RBD18.8	.210 IN	18.8 IN
RBD7.4	.210 IN	7.4 IN	RBD19.6	.210 IN	19.6 IN
RBD7.8	.210 IN	7.8 IN	RBD20.3	.210 IN	20.3 IN
RBD8.1	.210 IN	8.1 IN	RBD21.1	.210 IN	21.1 IN
RBD8.6	.210 IN	8.6 IN	RBD21.9	.210 IN	21.9 IN
RBD9.0	.210 IN	9.0 IN	RBD22.7	.210 IN	22.7 IN
RBD9.7	.210 IN	9.7 IN	RBD23.5	.210 IN	23.5 IN
RBD10.0	.210 IN	10.0 IN	RBD24.3	.210 IN	24.3 IN
RBD10.5	.210 IN	10.5 IN	RBD25.0	.210 IN	25.0 IN