



# **CABLE MANAGEMENT PRODUCTS 2012**

**WIRE TIES  
CABLE CLAMPS  
ADHESIVE WALL MOUNTS  
SPLIT LOOM**

**(TEL) 516-791-1121**

**(EMAIL) [sales@avcomponents.net](mailto:sales@avcomponents.net)**

**(FAX) 516-791-1171**

**(WEB) [www.avcomponents.net](http://www.avcomponents.net)**

# TABLE OF CONTENTS

UV BLACK AND NATURAL CABLE TIES	PAGE 1,2
COLOR CABLE TIES AND VALUE PACK	PAGE 3,4
SCREW MOUNT CABLE TIES	PAGE 5
IDENTIFICATION CABLE TIES	PAGE 5
RELEASABLE CABLE TIES	PAGE 5
UV HEAT STABILIZED CABLE TIES	PAGE 5
AIR HANDLING CABLE TIES	PAGE 5
TEFZEL CABLE TIES	PAGE 5
HOOK & LOOP CABLE TIES	PAGE 5
HOOK & LOOP ROLLS	PAGE 5
WIRE TIE STRAPS	PAGE 6
LIGHT AND HEAVY DUTY CABLE CLAMPS	PAGE 6
ADHESIVE WALL MOUNTS	PAGE 6
SCREW MOUNTS	PAGE 6
LOW PROFILE MOUNTS	PAGE 6
SPLIT LOOM	PAGE 7

## Standard Nylon Cable Ties

**Natural Nylon 6/6:** General purpose nylon is high in strength and light-weight. It is non-toxic and offers a wide temperature range. Nylon 6/6 is a hygroscopic material, which absorbs and releases moisture. This can effect the characteristics of cable ties.

**UV Stabilized Nylon 6/6:** Ultraviolet nylon offers the same features of the natural nylon but also protects against UV light. It contains well dispersed carbon black for maximum resistance to weathering. This material is designed for outdoor applications.


### 18LB SERIES

PART#	COLOR	LENGTH INCHES	WIDTH INCHES	THICKNESS INCHES	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK	MIL. SPEC.#
WT4ABKC	UV BLACK	4.1"	.10"	.04"	18LBS	.75"	100	MS3367-4-0
WT4ABKM	UV BLACK	4.1"	.10"	.04"	18LBS	.75"	1000	MS3367-4-0
WT4ANAC	NATURAL	4.1"	.10"	.04"	18LBS	.75"	100	MS3367-4-9
WT4ANAM	NATURAL	4.1"	.10"	.04"	18LBS	.75"	1000	MS3367-4-9
WT6ABKC	UV BLACK	6.1"	.10"	.04"	18LBS	1.25"	100	
WT6ABKM	UV BLACK	6.1"	.10"	.04"	18LBS	1.25"	1000	
WT6ANAC	NATURAL	6.1"	.10"	.04"	18LBS	1.25"	100	
WT6ANAM	NATURAL	6.1"	.10"	.04"	18LBS	1.25"	1000	
WT8ABKC	UV BLACK	8.1"	.10"	.04"	18LBS	2.0"	100	
WT8ABKM	UV BLACK	8.1"	.10"	.04"	18LBS	2.0"	1000	
WT8ANAC	NATURAL	8.1"	.10"	.04"	18LBS	2.0"	100	
WT8ANAM	NATURAL	8.1"	.10"	.04"	18LBS	2.0"	1000	



### 40LB SERIES

PART#	COLOR	LENGTH INCHES	WIDTH INCHES	THICKNESS INCHES	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK	MIL. SPEC.#
WT6BBKC	UV BLACK	5.7"	.14"	.05"	40LBS	1.25"	100	MS3367-5-0
WT6BBKM	UV BLACK	5.7"	.14"	.05"	40LBS	1.25"	1000	MS3367-5-0
WT6BNAC	NATURAL	5.7"	.14"	.05"	40LBS	1.25"	100	MS3367-5-9
WT6BNAM	NATURAL	5.7"	.14"	.05"	40LBS	1.25"	1000	MS3367-5-9



### 50LB SERIES

PART#	COLOR	LENGTH INCHES	WIDTH INCHES	THICKNESS INCHES	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK	MIL. SPEC.#
WT8CBKC	UV BLACK	7.5"	.19"	.05"	50LBS	2.0"	100	MS3367-1-0
WT8CBKM	UV BLACK	7.5"	.19"	.05"	50LBS	2.0"	1000	MS3367-1-0
WT8CNAC	NATURAL	7.5"	.19"	.05"	50LBS	2.0"	100	MS3367-1-9
WT8CNAM	NATURAL	7.5"	.19"	.05"	50LBS	2.0"	1000	MS3367-1-9
WT12CBKC	UV BLACK	11.8"	.19"	.05"	50LBS	3.0"	100	MS3367-7-0
WT12CBKM	UV BLACK	11.8"	.19"	.05"	50LBS	3.0"	1000	MS3367-7-0
WT12CNAC	NATURAL	11.8"	.19"	.05"	50LBS	3.0"	100	MS3367-7-9
WT12CNAM	NATURAL	11.8"	.19"	.05"	50LBS	3.0"	1000	MS3367-7-9
WT15CBKC	UV BLACK	14.8"	.19"	.05"	50LBS	4.0"	100	MS3367-2-0
WT15CBKM	UV BLACK	14.8"	.19"	.05"	50LBS	4.0"	1000	MS3367-2-0
WT15CNAC	NATURAL	14.8"	.19"	.05"	50LBS	4.0"	100	MS3367-2-9
WT15CNAM	NATURAL	14.8"	.19"	.05"	50LBS	4.0"	1000	MS3367-2-9



## 120LB SERIES

PART#	COLOR	LENGTH INCHES	WIDTH INCHES	THICKNESS INCHES	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK	MIL. SPEC.#
WT8DBKC	UV BLACK	8.0"	.30"	.08"	120LBS	2.0"	100	
WT8DNAC	NATURAL	8.0"	.30"	.08"	120LBS	2.0"	100	
WT12DBKC	UV BLACK	12.1"	.30"	.08"	120LBS	3.0"	100	
WT12DNAC	NATURAL	12.1"	.30"	.08"	120LBS	3.0"	100	
WT15DBKC	UV BLACK	15.0"	.30"	.08"	120LBS	4.0"	100	MS3367-3-0
WT15DNAC	NATURAL	15.0"	.30"	.08"	120LBS	4.0"	100	MS3367-3-9
WT18DBKC	UV BLACK	17.71"	.30"	.08"	120LBS	4-7/8"	100	
WT18DNAC	NATURAL	17.71"	.30"	.08"	120LBS	4-7/8"	100	
WT24DBKC	UV BLACK	24.2"	.30"	.08"	120LBS	7"	100	
WT24DNAC	NATURAL	24.2"	.30"	.08"	120LBS	7"	100	
WT28DBKC	UV BLACK	28.0"	.30"	.08"	120LBS	9"	100	MS3367-6-0
WT28DNAC	NATURAL	28.0"	.30"	.08"	120LBS	9"	100	MS3367-6-9



## 175LB SERIES

PART#	COLOR	LENGTH INCHES	WIDTH INCHES	THICKNESS INCHES	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK	MIL. SPEC.#
WT24EBKL	UV BLACK	24.0"	.35"	.08"	175LBS	7.0"	50	MS3367-9-0
WT24ENAL	NATURAL	24.0"	.35"	.08"	175LBS	7.0"	50	MS3367-9-9
WT30EBKL	UV BLACK	30.0"	.35"	.08"	175LBS	9.4"	50	MS3367-11-0
WT30ENAL	NATURAL	30.0"	.35"	.08"	175LBS	9.4"	50	MS3367-11-9
WT36EBKL	UV BLACK	36.5"	.35"	.08"	175LBS	10.7"	50	MS3367-12-0
WT36ENAL	NATURAL	36.5"	.35"	.08"	175LBS	10.7"	50	MS3367-12-9
WT48EBKL	UV BLACK	48.0"	.35"	.08"	175LBS	15"	50	
WT48ENAL	NATURAL	48.0"	.35"	.08"	175LBS	15"	50	



## 250LB SERIES

PART#	COLOR	LENGTH INCHES	WIDTH INCHES	THICKNESS INCHES	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK
WT9FBKC	UV BLACK	9.05"	.50"	.10"	250LBS	2.0"	100
WT9FNAC	NATURAL	9.05"	.50"	.10"	250LBS	2.0"	100
WT20FBKC	UV BLACK	20.2"	.50"	.10"	250LBS	5.0"	100
WT20FNAC	NATURAL	20.2"	.50"	.10"	250LBS	5.0"	100
WT23FBKC	UV BLACK	22.8"	.50"	.10"	250LBS	6.0"	100
WT23FNAC	NATURAL	22.8"	.50"	.10"	250LBS	6.0"	100
WT29FBKC	UV BLACK	29.1"	.50"	.10"	250LBS	8.0"	100
WT29FNAC	NATURAL	29.1"	.50"	.10"	250LBS	8.0"	100
WT35FBKL	UV BLACK	34.65"	.50"	.10"	250LBS	10.0"	50
WT35FNAL	NATURAL	34.65"	.50"	.10"	250LBS	10.0"	50
WT41FBKL	UV BLACK	40.55"	.50"	.10"	250LBS	12.0"	50
WT41FNAL	NATURAL	40.55"	.50"	.10"	250LBS	12.0"	50



## Color Cable Ties & Value Packs



### COLOR 4" 18LB SERIES

PART#	COLOR	LENGTH	WIDTH	THICKNESS	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK
WT4ABLC	BLUE	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4ABNC	BROWN	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AFBC	FLUORESCENT BLUE	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AFGC	FLUORESCENT GREEN	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AFOC	FLUORESCENT ORANGE	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AFPC	FLUORESCENT PINK	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AFYC	FLUORESCENT YELLOW	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AGNC	GREEN	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AGYC	GRAY	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AORC	ORANGE	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4APUC	PURPLE	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4ARDC	RED	4.1"	.10"	.04"	18 LBS	7/8"	100
WT4AYWC	YELLOW	4.1"	.10"	.04"	18 LBS	7/8"	100

### COLOR 6" 40LB SERIES

PART#	COLOR	LENGTH	WIDTH	THICKNESS	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK
WT6BBLC	BLUE	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BBNC	BROWN	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BFBC	FLUORESCENT BLUE	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BFGC	FLUORESCENT GREEN	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BFOC	FLUORESCENT ORANGE	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BFPC	FLUORESCENT PINK	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BFYC	FLUORESCENT YELLOW	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BGNC	GREEN	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BGYC	GRAY	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BORC	ORANGE	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BPUC	PURPLE	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BRDC	RED	5.7"	.14"	.05"	40 LBS	1-7/16"	100
WT6BYWC	YELLOW	5.7"	.14"	.05"	40 LBS	1-7/16"	100

### COLOR 8" 50LB SERIES

PART#	COLOR	LENGTH	WIDTH	THICKNESS	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK
WT8CBLC	BLUE	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CBNC	BROWN	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CFBC	FLUORESCENT BLUE	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CFGC	FLUORESCENT GREEN	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CFOC	FLUORESCENT ORANGE	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CFPC	FLUORESCENT PINK	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CFYC	FLUORESCENT YELLOW	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CGNC	GREEN	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CGYC	GRAY	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CORC	ORANGE	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CPUC	PURPLE	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CRDC	RED	7.4"	.19"	.05"	50 LBS	1-7/8"	100
WT8CYWC	YELLOW	7.4"	.19"	.05"	50 LBS	1-7/8"	100

## COLOR 12" 50LB SERIES

PART#	COLOR	LENGTH	WIDTH	THICK-NESS	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK
WT12CBLC	BLUE	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CBNC	BROWN	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CFBC	FLUORESCENT BLUE	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CFGC	FLUORESCENT GREEN	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CFOC	FLUORESCENT ORANGE	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CFPC	FLUORESCENT PINK	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CFYC	FLUORESCENT YELLOW	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CGNC	GREEN	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CGYC	GRAY	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CORC	ORANGE	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CPUC	PURPLE	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CRDC	RED	11.8"	.19"	.05"	50 LBS	3-1/16"	100
WT12CYWC	YELLOW	11.8"	.19"	.05"	50 LBS	3-1/16"	100

## COLOR 15" 50LB SERIES


PART#	COLOR	LENGTH	WIDTH	THICK-NESS	TENSILE STRENGTH	BUNDLE DIAMETER	QUANTITY PER PACK
WT15CBLC	BLUE	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CBNC	BROWN	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CFBC	FLUORESCENT BLUE	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CFGC	FLUORESCENT GREEN	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CFOC	FLUORESCENT ORANGE	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CFPC	FLUORESCENT PINK	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CFYC	FLUORESCENT YELLOW	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CGNC	GREEN	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CGYC	GRAY	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CORC	ORANGE	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CPUC	PURPLE	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CRDC	RED	14.5"	.19"	.05"	50 LBS	4-1/18"	100
WT15CYWC	YELLOW	14.5"	.19"	.05"	50 LBS	4-1/18"	100

## VALUE PACKS

PART#	DESCRIPTION	
WTVPBK	400 PIECE BLACK ASSORTMENT PACK: 200 4.1" 18LB, 100 7.4" 50LB, 100 11.8" 50LB	
WTVPNA	400 PIECE NATURAL ASSORTMENT PACK: 200 4.1" 18LB, 100 7.4" 50LB, 100 11.8" 50LB	
WTVPCA	400 PIECE COLOR ASSORTMENT PACK: 200 4.1" 18LB, 100 7.4" 50LB, 100 11.8" 50LB	
WTVPFA	400 PIECE FLUORESCENTCOLOR ASSORTMENT PACK: 200 4.1" 18LB, 100 7.4" 50LB, 100 11.8" 50LB	

# Specialty Cable Ties

## SCREW MOUNT HEAD SERIES



PART#	COLOR	LENGTH	WIDTH	THICKNESS	TENSILE	BUNDLE DIA-METER	QTY/PACK
WT4MHABKC	BLACK	4.5"	.10"	.04"	18LBS	7/8"	100
WT4MHANAC	NATURAL	4.5"	.10"	.04"	18LBS	7/8"	100
WT6MHBBKC	BLACK	5.9"	.14"	.05"	40LBS	1-1/4"	100
WT6MHBNAAC	NATURAL	5.9"	.14"	.05"	40LBS	1-1/4"	100
WT8MHCBKC	BLACK	7.9"	.178"	.05"	50LBS	1-3/4"	100
WT8MHCNAAC	NATURAL	7.9"	.178"	.05"	50LBS	1-3/4"	100
WT12MHCBKC	BLACK	12.6"	1.9"	.05"	50LBS	3"	100
WT12MHCNAAC	NATURAL	12.6"	1.9"	.05"	50LBS	3"	100
WT15MHCBKC	BLACK	15.3"	1.9"	.05"	50LBS	4"	100
WT15MHCNAAC	NATURAL	15.3"	1.9"	.05"	50LBS	4"	100
WT15MHDBKC	BLACK	14.8"	.30"	.08"	120LBS	4"	100
WT15MHDNAAC	NATURAL	14.8"	.30"	.08"	120LBS	4"	100

## IDENTIFICATION SERIES

PART#	COLOR	LENGTH	WIDTH	THICKNESS	TENSILE	BUNDLE DIA-METER	QTY/PACK
WT4FGANAC	NATURAL	4.0"	.10"	.04"	18 LBS	5/8"	100
WT4IDANAC	NATURAL	4.0"	.10"	.04"	18 LBS	5/8"	100
WT8IDCNAC	NATURAL	7.6"	.14"	.05"	50 LBS	1-3/4"	100
WT14IDCNAC	NATURAL	14.1"	.14"	.05"	50 LBS	4"	100

## RELEASABLE CABLE TIES

PART#	COLOR	LENGTH	WIDTH	THICKNESS	TENSILE	BUNDLE DIA-METER	QTY/PACK
WT6RECBKC	BLACK	5.9"	.298"	.05"	40 LBS.	1-1/4"	100
WT6RECNAAC	NATURAL	5.9"	.298"	.05"	40 LBS	1-1/4"	100
WT8RECBKC	BLACK	7.8"	.298"	.05"	50 LBS	2"	100
WT8RECNAAC	NATURAL	7.8"	.298"	.05"	50 LBS	2"	100
WT12RECBKC	BLACK	11.75"	.298"	.05"	50 LBS	3"	100
WT12RECNAAC	NATURAL	11.75"	.298"	.05"	50 LBS	3"	100
WT15RECBKC	BLACK	14.5"	.19"	.05"	50 LBS	4"	100
WT15RECNAAC	NATURAL	14.5"	.19"	.05"	50 LBS	4"	100

## UV HEAT STABILIZED CABLE TIES

### UV HEAT STABILIZED CABLE TIES:

Heat stabilized nylon cable ties offer a higher temperature range than standard 6/6 nylon. Heat stabilized 6/6 nylon has a chemical stabilizer added to achieve greater temperature ratings and meet requirements of UL94V-2 flammability rating. Continuous operating temperatures maximum 220° F and minimum of -40° F. Gamma radiation Resistance of 1X10 Rads. UV Black Color.



PART#	LENGTH	WIDTH	THICKNESS	TENSILE STRENGTH	BUNDLE DIAMETER	QTY/PACK
WTHS4AC	4.1"	.10"	.04"	18 LBS	.75"	100
WTHS4AM	4.1"	.10"	.04"	18 LBS	.75"	1000
WTHS6BC	5.9"	.14"	.05"	40 LBS	1.5"	100
WTHS6BM	5.9"	.14"	.05"	40 LBS	1.5"	1000
WTHS8CC	8.0"	.19"	.05"	50 LBS	2.0"	100
WTHS8CM	8.0"	.19"	.05"	50 LBS	2.0"	1000
WTHS12CC	11.8"	.19"	.05"	50 LBS	3.0"	100
WTHS12CM	11.8"	.19"	.05"	50 LBS	3.0"	1000
WTHS15CC	14.8"	.19"	.05"	50 LBS	4.0"	100
WTHS15CM	14.8"	.19"	.05"	50 LBS	4.0"	1000
WTHS15DC	15.0"	.30"	.05"	120 LBS	4.0"	100
WTHS15DM	15.0"	.30"	.05"	120 LBS	4.0"	1000

## HOOK AND LOOP CABLE TIES

PART#	LENGTH	WIDTH	TENSILE	BUNDLE DIAMETER	QTY/PACK
WTHL6**	6"	3/4"	30 LBS	1"	10
WTHL9**	9"	3/4"	30 LBS	2"	10
WTHL13**	13"	3/4"	30 LBS	3"	10

Replace \*\* with colors: BK=BLACK, BL=BLUE, GN=GREEN, OR=ORANGE, RD=RED, WH=WHITE, YW=YELLOW  
Please note that 13" ties come only in black, white and orange



## AIR HANDLING CABLE TIES

### AIR HANDLING CABLE TIES:

Meets UL 2043 for use in air handling spaces. Generates low smoke & offers low heat resistance. Burgundy color.



PART#	LENGTH	WIDTH	THICKNESS	TENSILE STRENGTH	BUNDLE DIAMETER	QTY/PACK
WT4AHBYC	4.1"	.10"	.04"	18 LBS	.75"	100
WT8AHBYC	8.0"	.19"	.05"	50 LBS	2.0"	100
WT12AHBYC	11.8"	.19"	.05"	50 LBS	3.0"	100
WT14AHBYC	14.8"	.19"	.05"	50 LBS	4.0"	100
WT15AHBYC	15.0"	.30"	.08"	120 LBS	4.0"	100

## TEFZEL FLUOROPOLYMER PLENUM CABLE TIES

### TEFZEL CABLE TIES: UL-2043 & UL94V-0

Although weaker (about 37%) than general purpose nylon 6/6, tefzel is resistant to a wide range of chemicals such as concentrated hydrofluoric and sulfuric acids. It is radiation resistant up to 100 megarads and meets IEEE requirement 333. Tefzel also withstands high temperatures, ultraviolet light exposure, and meets U.L. flammability requirement 94V-0. -65°F to 302°F. Aqua color.



PART#	LENGTH	WIDTH	THICKNESS	TENSILE STRENGTH	BUNDLE DIAMETER	QTY/PACK
WT4AXBLC	4.0"	.098"	.04"	18 LBS	.87"	100
WT7CXBLC	7.4"	.19"	.05"	50 LBS	1.88"	100
WT11CXBLC	11.6"	.19"	.05"	50 LBS	3.0"	100
WT11DXBLC	11.5"	.30"	.05"	120 LBS	3.0"	100
WT14CXBLC	14.6"	.19"	.05"	50 LBS	4.0"	100
WT14DXBLC	14.6"	.30"	.05"	120 LBS	4.0"	100

## HOOK AND LOOP CABLE TIE ROLLS

PART#	COLOR	LENGTH	WIDTH
WTHLBKR	BLACK	50YDS	.75"
WTHLWHR	WHITE	50YDS	.75"



## NYLON LIGHT DUTY CABLE CLAMPS

## NYLON HEAVY DUTY CABLE CLAMPS



PART#	COLOR	DIA-METER	HOLE DIAMETER	WIDTH	THICK-NESS	QTY/ PACK	PART#	COLOR	DIA-METER	HOLE DIAMETER	WIDTH	THICK-NESS	QTY/ PACK
WC18LBKC	BLACK	1/8"	.17"	.37"	.04"	100	WC14HBKC	BLACK	1/4"	.20"	.50"	.06"	100
WC18LNAC	NATURAL	1/8"	.17"	.37"	.04"	100	WC14HNAC	NATURAL	1/4"	.20"	.50"	.06"	100
WC316LBKC	BLACK	3/16"	.17"	.37"	.04"	100	WC38HBKC	BLACK	3/8"	.20"	.50"	.06"	100
WC316LNAC	NATURAL	3/16"	.17"	.37"	.04"	100	WC38HNAC	NATURAL	3/8"	.20"	.50"	.06"	100
WC14LBKC	BLACK	1/4"	.17"	.37"	.04"	100	WC12HBKC	BLACK	1/2"	.20"	.50"	.06"	100
WC14LNAC	NATURAL	1/4"	.17"	.37"	.04"	100	WC12HNAC	NATURAL	1/2"	.20"	.50"	.06"	100
WC516LBKC	BLACK	5/16"	.17"	.37"	.04"	100	WC58HBKC	BLACK	5/8"	.20"	.50"	.06"	100
WC516LNAC	NATURAL	5/16"	.17"	.37"	.04"	100	WC58HNAC	NATURAL	5/8"	.20"	.50"	.06"	100
WC38LBKC	BLACK	3/8"	.17"	.37"	.04"	100	WC34HBKC	BLACK	3/4"	.20"	.50"	.06"	100
WC38LNAC	NATURAL	3/8"	.17"	.37"	.04"	100	WC34HNAC	NATURAL	3/4"	.20"	.50"	.06"	100
WC716LBKC	BLACK	7/16"	.17"	.37"	.04"	100	WC78HBKC	BLACK	7/8"	.20"	.50"	.06"	100
WC716LNAC	NATURAL	7/16"	.17"	.37"	.04"	100	WC78HNAC	NATURAL	7/8"	.20"	.50"	.06"	100
WC12LBKC	BLACK	1/2"	.17"	.37"	.04"	100	WC1HBKC	BLACK	1"	.20"	.50"	.06"	100
WC12LNAC	NATURAL	1/2"	.17"	.37"	.04"	100	WC1HNAC	NATURAL	1"	.20"	.50"	.06"	100

## NYLON ADHESIVE MOUNTING PADS

PART#	COLOR	LENGTH	WIDTH	HEIGHT	HOLE SIZE	TENSILE TYPE	QTY/ PACK
WM12BKC	BLACK	1/2"	1/2"	.195"	#4	18 LBS	100
WM12NAC	NATURAL	1/2"	1/2"	.195"	#4	18 LBS	100
WM34BKC	BLACK	3/4"	3/4"	.205"	#6	18-40 LBS	100
WM34NAC	NATURAL	3/4"	3/4"	.205"	#6	18-40 LBS	100
WM1BKC	BLACK	1"	1"	.215"	#8	18-50 LBS	100
WM1NAC	NATURAL	1"	1"	.215"	#8	18-50 LBS	100



## SCREW MOUNTS


## LOW PROFILE MOUNTS

PART#	COLOR	LENGTH	WIDTH	HEIGHT	SLOT HEIGHT	SLOT WIDTH	MOUNT HOLE	QTY/ PACK	PART#	COLOR	LENGTH	WIDTH	HEIGHT	SLOT HEIGHT	SLOT WIDTH	MOUNT HOLE	QTY/ PACK
WMS4BKC	BLACK	.57"	.34"	.27"	.07"	.12"	#4	100	WMLBKC	BLACK	.75"	.50"	.205"	.225"	.18"	#8 FLATHEAD	100
WMS4NAC	NATURAL	.57"	.34"	.27"	.07"	.12"	#4	100	WMLNAC	NATURAL	.75"	.50"	.205"	.225"	.18"	#8 FLATHEAD	100
WMS6BKC	BLACK	.60"	.385"	.28"	.06"	.20"	#6, 8	100									
WMS6NAC	NATURAL	.60"	.385"	.28"	.06"	.20"	#6, #8	100									
WMS9BKC	BLACK	.875"	.625"	.39"	.09"	.325"	#8, #10	100									
WMS9NAC	NATURAL	.875"	.625"	.39"	.09"	.325"	#8, #10	100									




## SPLIT LOOM (POLYETHYLENE)

PART#	DESCRIPTION
SPL18BK100	POLYETHYLENE SPLIT LOOM 1/8" I/D BLACK 100FT
SPL18BK25	POLYETHYLENE SPLIT LOOM 1/8" I/D BLACK 25FT
SPL18BKB	POLYETHYLENE SPLIT LOOM 1/8" I/D BLACK BULK 6000FT
SPL14BK100	POLYETHYLENE SPLIT LOOM 1/4" I/D BLACK 100FT
SPL14BK25	POLYETHYLENE SPLIT LOOM 1/4" I/D BLACK 25FT
SPL14BKB	POLYETHYLENE SPLIT LOOM 1/4" I/D BLACK BULK 3200FT
SPL38BK100	POLYETHYLENE SPLIT LOOM 3/8" I/D BLACK 100FT
SPL38BK25	POLYETHYLENE SPLIT LOOM 3/8" I/D BLACK 25FT
SPL38BKB	POLYETHYLENE SPLIT LOOM 3/8" I/D BLACK BULK 1800FT
SPL12BK100	POLYETHYLENE SPLIT LOOM 1/2" I/D BLACK 100FT
SPL12BK25	POLYETHYLENE SPLIT LOOM 1/2" I/D BLACK 25FT
SPL12BKB	POLYETHYLENE SPLIT LOOM 1/2" I/D BLACK BULK 1200FT
SPL58BK100	POLYETHYLENE SPLIT LOOM 5/8" I/D BLACK 100FT
SPL58BK25	POLYETHYLENE SPLIT LOOM 5/8" I/D BLACK 25FT
SPL58BKB	POLYETHYLENE SPLIT LOOM 5/8" I/D BLACK BULK 900FT
SPL34BK100	POLYETHYLENE SPLIT LOOM 3/4" I/D BLACK 100FT
SPL34BK25	POLYETHYLENE SPLIT LOOM 3/4" I/D BLACK 25FT
SPL34BKB	POLYETHYLENE SPLIT LOOM 3/4" I/D BLACK BULK 600FT
SPL1BK100	POLYETHYLENE SPLIT LOOM 1" I/D BLACK 100FT
SPL1BK25	POLYETHYLENE SPLIT LOOM 1" I/D BLACK 25FT
SPL1BKB	POLYETHYLENE SPLIT LOOM 1" I/D BLACK BULK 350FT
SPL114BK100	POLYETHYLENE SPLIT LOOM 1-1/4" I/D BLACK 100FT
SPL114BK25	POLYETHYLENE SPLIT LOOM 1-1/4" I/D BLACK 25FT
SPL114BKB	POLYETHYLENE SPLIT LOOM 1-1/4" I/D BLACK BULK 200FT
SPL112BK100	POLYETHYLENE SPLIT LOOM 1-1/2" I/D BLACK 100FT
SPL112BK25	POLYETHYLENE SPLIT LOOM 1-1/2" I/D BLACK 25FT
SPL112BKB	POLYETHYLENE SPLIT LOOM 1-1/2" I/D BLACK BULK 200FT
SPL2BK50	POLYETHYLENE SPLIT LOOM 2" I/D BLACK 50FT
SPL2BK25	POLYETHYLENE SPLIT LOOM 2" I/D BLACK 25FT



## SPLIT LOOM (NYLON)

PART#	DESCRIPTION
SPL14BKN100	NYLON SPLIT LOOM 1/4" I/D BLACK 100FT
SPL14BKNB	NYLON SPLIT LOOM 1/4" I/D BLACK BULK 6000FT
SPL38BKN100	NYLON SPLIT LOOM 3/8" I/D BLACK 100FT
SPL38BKNB	NYLON SPLIT LOOM 3/8" I/D BLACK BULK 5000FT
SPL12BKN100	NYLON SPLIT LOOM 1/2" I/D BLACK 100FT
SPL12BKNB	NYLON SPLIT LOOM 1/2" I/D BLACK BULK 4000FT
SPL58BKN100	NYLON SPLIT LOOM 5/8" I/D BLACK 100FT
SPL58BKNB	NYLON SPLIT LOOM 5/8" I/D BLACK BULK 2500FT
SPL34BKN100	NYLON SPLIT LOOM 3/4" I/D BLACK 100FT
SPL34BKNB	NYLON SPLIT LOOM 3/4" I/D BLACK BULK 2000FT
SPL1BKN100	NYLON SPLIT LOOM 1" I/D BLACK 100FT
SPL1BKNB	NYLON SPLIT LOOM 1" I/D BLACK BULK 1250FT
SPL114BKN100	NYLON SPLIT LOOM 1-1/4" I/D BLACK 100FT
SPL114BKNB	NYLON SPLIT LOOM 1-1/4" I/D BLACK BULK 500FT
SPL112BKN100	NYLON SPLIT LOOM 1-1/2" I/D BLACK 300FT (300' MIN.ORDER)
SPL112BKNB	NYLON SPLIT LOOM 1-1/2" I/D BLACK BULK 300FT



ALL NYLON SPLIT IS NON-STOCK LEAD TIME IS GENERALLY 3 DAYS AND AT TIMES 2-3 WEEKS DEPENDING ON QTY ORDERED